											DQA:	Date	':		
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFORI	MANCE / UPDATE		QA Closed:	Date	:		
Work Orde	^					DISPOSITION		AGAINST DEPARTMENT/PROCESS							
Part I	Part No. NCR No. Root Des					Rework Scrap Use-as-is Work Order Update Skid-tube Machining Machining Thermoforming Finishing Large Fab Composite			1	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other				
Root					Descri	ption of work order update		Initial	Action		Sign &				
Cause		Date	Step	Qty	,	or Non-conformance	Ch	nief Eng	Description		Date	Verification	QC Inspector		
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved							وغ								
							AUL	T CATE	GORY		_				
Landi	ng (I			_	General	_	1	•		1 .		¬ .		
	L	Bending				Bend	<u></u>	Grain		—	Ovalized	<u>j </u>	Pressure/Forced		
	L	Centre No	ot Conce	ntric to	o/s	BOM/Route	<u></u>	Hardwa	re		Over/Under	⊢	Temperature/Cure		
		Cracks				Broken/Damaged		1 '	on Incomplete	<u> </u>	Part Incorred	<u> </u>	Weld		
		Crushed/	Crimped		L	Burrs		Instruct	ions Incomplete/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled		
		Cuffs				Contamination		Mainte	enance		Part Moved				
1		Host Treat				Countersink		Miclaheled			Positioned M	Irona			

Misread

Out of Calibration

Outside Dimensions

Out of Sequence

Offset

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Work Orde August-28-13 1		06000		*106	Page 2						
Item ID: Revision ID: Item Name: Start Date: Required Date: Reference:	D2939-2 206 Saddle 8/28/13 8/28/13	Start Qty: 4.00 Req'd Qty: 4.00	*4 *4		*N900 Cust Item 1 Customer:		100)* ·	Setup Start	I NI	S1* S2*
Approvals:	Process Pl	an:	Date:	Tooling: SPC (Y/N):		ate:		ī	Run Start Stop	i <i>Z</i> I	R1* R2*
Sequence ID/ Work Center I 130 *130* QC Quality Control 140 *140* HandFinish	D	Operation Description QC8- Inspect parts - second Memo Chemical Conversion Conversion Conversion		Set Up/ Run Hours 0.00 0.00	Tool ID VL13/0;	Tool#	Plan Code	Accept Qty	Qty	Reject Number	Insp. Stamp
Hand Finishing 150 *150* Powdercoat Powder Coating	, 4	White Gloss(Ref.4.3.5.1) Memo START TIM	10	um 0.00 -30 0.00 OVEN TEMPERATURE	::		L	1/X,	Y M	fl:	3/29/

mablas

Page 2

										040		
										QA Closed:	Date:	
Work Orde	- er:				DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part N		-			Rework Scrap			Skid-tube Nachining	Crosstube Small Fab	Pro	Water Jet d. Eng. Coor.	Engineering Quality
NCR N	No				Use-as-is Work Order Update	i			Finishing Composite	Rec/Sto	Other	
Root			-	Descri	ption of work order update	Init	ial	Act	ion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief	Eng	Descr	ription	Date	Verification	QC Inspector
Doc/Data								· — ·	_	.—		
Equip/Tooling		}									į	
Operator										ļ		
Material	Ш											
Setup	Ц]]									
Other			1		•							
Process	_	-									<u> </u>	
Supplier		}										
Training	Ш											1
Unapproved		l <u>.</u>	<u> </u>			<u> </u>		0084			<u> </u>	<u> </u>
			· -			AULT (LAIE	GURY				
Landi	ng Gear				General	Пс.	rain			Ovalized		Pressure/Forced
	Bendin	_		,,,	Bend BOM/Route	$\boldsymbol{\vdash}$	rain ardwa		<u> </u>	Over/Under	tolerance	Temperature/Cure
	\vdash	Not Conce	ntric to t	^{)/3} -	Broken/Damaged	\longrightarrow		on Incomplete		Part Incorre	 	Weld
	Cracks	d/Crimped		1	Burrs	-	-	ions Incomplete/l	Inclear	Part Lost/M		Wrong Stock Pulled
	Cuffs	a/Crimpea		-	Contamination	-		nance	J. Cicle	Part Moved	.531716	TVV ONE SCOOK I GIVEG
	Heat T	roat		 	Countersink	\vdash	islabe		-	Positioned V	Vrong	
. <u></u>	├ ──┤	tion Strip in	n Tube	<u> </u>	Cut Too Short	\vdash	isread		-	Power Loss/		Other
	—	in Bend		-	Drill Holes	—	ffset		<u>L</u>		_	
	— ` `	Waves in	Extrusion	, <u> </u>	Drawing			Calibration				
		g Sequence			Finish	\square_{\circ}	ut of S	Sequence				

Outside Dimensions

DQA:

Date:

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde		6000			Page 3								
Revision 1D:	D2939-2 206 Saddle	- Annual	· · · · · · · · · · · · · · · · · · ·	Accept	*	1900	<u>040</u>	100)* s	etup Star Stop	171.	S1* S2*	
	8/28/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*			Cust Item I Customer:	ID:				,	12	
Approvals:	Process Pla		Date:	Tooling: SPC (Y/N):			ate:		F	tun Star Stop	, " ! V!!	R1* R2*	
Sequence ID/ Work Center II 160 *160* QC Quality Control)	Operation Description QC3-Inspect Part Finish Memo		Set Up/ Run Hours 0.00	DAS 27 9-89	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	
170 *170* Packaging Packaging		Identify as per dwg & Sto	ock Location <u>; <i>5†4</i>3</u> 8	0.00					-4		- -	13-0	7
180 *180* QC Quality Control		QC21- Final Inspection -	Work Order Release	0.00					-	13/9/	9 \$	}	

placa-6

				DQA:_	Date: _	
NCR:	Yes /	No	WORK ORDER NON-CONFORMANCE / UPDATE			

						_		_	QA Closed:	Da	ite:		
Work Orde	er:	<u>-</u> .			DISPOSITION		AGAINST DEPARTMENT/PROCESS						
Part No. Scrap Use-as-is NCR No. Work Order Update						Ther	Skid-tube Crosstube Water Jet Engi Machining Small Fab Prod. Eng. Coor. Thermoforming Finishing Rec/Store/Packaging Large Fab Composite Supplier						
Root				Descri	ption of work order update	Initial	Ad	ction	Sign &				
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	cription	Date	Verificatio	n QC Inspector		
Doc/Data											-		
Equip/Tooling			1 1								1		
Operator		-											
Material		Ì]]										
Setup													
Other													
Process													
Supplier			[1						
Training			1								,		
Unapproved	16.									<u>.</u>			
7.1	<u> </u>			· · · · · · · · · · · · · · · · · · ·		AULT CAT	GORY						
Landi	ng Gear			_	General			_	1		<u></u>		
	Bending			<u> </u>	Bend	Grain		<u> </u>	Ovalized		Pressure/Forced		
	$\boldsymbol{\vdash}$	ot Conce	ntric to C	D/S _	BOM/Route	Hardw		_	Over/Under		Temperature/Cure		
	Cracks			<u> </u>	Broken/Damaged	—	tion Incomplete	<i>"</i> ⊢	Part Incorre		Weld		
	Crushed	Crimped/		-	Burrs	\vdash	tions Incomplete,	/Unclear	Part Lost/Mi	issing	Wrong Stock Pulled		
	Cuffs			-	Contamination	—	enance	<u> </u>	Part Moved				
·	Н	Heat Treat Countersink		╡	Mislab		<u> </u>	Positioned V	-				
	Inspection Strip in Tube Cut Too Short			_	Misrea	ď		Power Loss/	Surge	Other			
	Ripples in Bend Drill Holes			╡	Offset	California -			· . 				
	Torque Waves in Extrusion Drawing				\vdash	Calibration				·			
	—	⊣			Finish	\vdash	Sequence						
) .	i iWave/Tv	Wave/Twist in Tube			Folio	I JUutsid	e Dimensions						

Picklist Print

August-28-13 12:27:01 PM

Work Order ID:

106000

Parent Item:

D2939-2

Parent Item Name:

206 Saddle

Start Date: 8/28/13

Required Date: 8/28/13

Page 1

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP: B 00.06.26 New DWG rev (mpp 2069)EC IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001 Saddle Billet		Manufactured	No	- - -		100	Each	52.0000	1	4			
				Location		Loc Oty	<u>L</u>	oc Code					
				MAT042		52			- , ,			-	101
				⇒ 1030	537	12			<u> </u>		下来 (15/08/	/ 5/
				972	39	27							
				984:	56	13				<u></u>			

NCR: Y	'es /	No				WORK ORDER NON-C	O	NFOR	MANCE / UP	DATE					
for										<u></u>		QA Closed:	D	ate:	
Work Orde	er:					DISPOSITION				AGAINST D	Œ	PARTMENT,	/PROCESS	_	_
Part N					-	Rework Scrap Use-as-is Work Order Update		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing Large Fab Composite				Water Jet Prod. Eng. Coor. Rec/Store/Packaging Supplier			Engineering Quality Other
Root				D	escri	ription of work order update Initial			al Action			Sign &			
Cause	D	ate St	ep Q	ty	(or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verificati	on	QC Inspector
Doc/Data															
Equip/Tooling															
Operator															
Material	_														
Setup	_		-												
Other	_														
Process						•					;				
Supplier															
Training															
Unapproved								-	CORY						<u>l</u>
							AUL	T CATE	GORY		_				
Landii	ng Gear	4.			_	General		Grain		Г	_	Ovalized		Г	Pressure/Forced
	_	ding tre Not Co		. to O/S	-	Bend BOM/Route	\vdash	Hardwa		-	_	Ovanzeu Over/Under	tolerance	\vdash	Temperature/Cure
	_		ncentric	10 0/3	\vdash	Broken/Damaged		1	ire ion Incomplete	<u> </u>		Part Incorre		\vdash	Weld
		Cracks		\vdash	Burrs	\vdash	1	tions Incomplete/	Unclear	-	Part Lost/Mi		\vdash	Wrong Stock Pulled	
	_	Crushed/Crimped Cuffs		-	Contamination	\vdash	Mainte	•	- I	-	Part Moved	1331116	<u> </u>] word stock i alled	
		Heat Treat		\vdash	Countersink	\vdash	Mislabe		-	_	Positioned V	Vrong			
	Inspection Strip in Tube		Cut Too Short	\vdash	Misread		l l		Power Loss/	_	Г	Other			
		oles in Ben				Drill Holes	\vdash	Offset	_	L		J		_	<u> </u>
	—			usion		Drawing	Out of Calibration								
	Torque Waves in Extrusion Turning Sequence				Finish	<u> </u>	Out of Sequence								

Outside Dimensions

Date:


Wave/Twist in Tube

Folio

DART AEROSPACE LTD		Work Order:	106000
	k		<u> </u>
Description: 206 Saddle, Inboard, Right side		Part Number:	D2939-2
Inspection Dwg: D2939 Rev: C DSK: Rev:			Page 1 of 1

		FIRST	ARTICLE IN	SPECTION	DIMENSI	ON SHEET	Γ		
			X First A	Article [Proto	type			
					Record	Actual Dim	ensions		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5	
Α	0.100	0.140	•	- 113	-116	- 116	6112		
В	0.100	0.140		- 1) F	0115	0115	0115		
С	0.100	0.140		FILE	0115	FILE	-116		
D	0.210	0.230		,220	0220	,220	,270		
Е	1,245	1.255		1,256	1.250	1.250	1,250		
F	1.245	1.255		1350	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2,500	5.200		
Н	0.510	0.515		0.512	.512_	·SIZ	.512	Ť.	
1	1.572	1.582		1.547	1,547	1.577	1.577		
J	2.495	2.505		2.500	2.500	2,500	5,800		
K	0.257	0.262	,	-258	\$528	.528	• 258	-	
	0.312	0.317	•	6314	314	e314	•314	 	
M	0.235	0.240		- 238	-538	.239	·239	 	
N	0.100	0.140		122	-(21	° 155	121	†	
0	0.540	0.560			,550	5549	,5∞		
P	0.490	0.510		.55 <u>0</u>	1495	500		 	
<u></u>	3.715	3.725		e-195		,500	<u>,500</u>	- -	
R			·	3,720	3,720	3,720	3,720		
	2.720	2.760		2,740	5,340	2.740	2,740		
S	0.240	0.270		252	-252	·5251	.252	<u> </u>	
	0.100	0.180		• 135	.135	25 ن	132		
<u>U</u>	1.625	1.635		1,630	1.630	1,630	1,630	ļ. <u> </u>	
٧	1.362	1.372		1.363	1.367	1,367	1.367		
W	0.316	0.321		0316	-316	<u>هالاه</u>	316		
X	1.250	1.270	. 4_	102605	1.260	1.2605	1.2605		
Υ	1.565	1.585	·	105745	10574	1,5745	1,574		
Z	0.178	0.198		0188	-184	8810	. 188		
AA_									
AB			**						
AC	· <u>-</u> ··					<u> </u>		1	
AD					_				
			Accept/Reject						
	Measure	by: 下长				Date:		31	
	Audite	d by:	M	·-····		Date:	13/09/		
Proto	type Appro	oval:		I/A		Date:	<u> </u>	V/A	
Rev	Date	Change				Rev	ised by	Approved	
Α		New Issue			 	RF		† <u>* * * * * * * * * * * * * * * * * * *</u>	
			ded Dim. X-Y,	DT8683 DT8	686 DT869	0 0			
В	02.12.12	DT8695 A/B		0000, D T		^{υα} KJ/I	RF		
С	07.03.21		lrawing revision	C	-	KJ/.	II M	 	
ŏ	07.11.23	DT8695 A/B r					EC/DD JA		
Nonzer Brook Albremoved									

	·		
			and the second s
•	,		*
•			
·			
		•	
•		•	
·.			
• • •			



.

UNCO S

106000 MLJ 13-08-29

